

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L12 | 25 | (US-20010017531-\$ or US-20020140405-\$ or US-20020175659-\$).did. or (US-5714866-\$ or US-6433517-\$ or US-6016047-\$ or US-6218812-\$ or US-5889385-\$ or US-5767659-\$ or US-5656920-\$ or US-5103156-\$ or US-6150793-\$ or US-6489752-\$ or US-6188202-\$ or US-5339018-\$ or US-6271643-\$ or US-5049804-\$ or US-6363315-\$ or US-6707273-\$ or US-4424476-\$ or US-6124698-\$ or US-7106027-\$ or US-6075347-\$ or US-6791299-\$).did. or (US-3517293-\$).did. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/01/04 22:03 |
| L31 | 12 | L12 and (("10" or "15" or "20") near3 (amps or "A" or amperes)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 22:06 |
| L32 | 10 | L12 and (("10" or "15" or "20") near2 (amps or "A" or amperes)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 22:06 |
| L33 | 7 | L12 and (("10" or "15" or "20") near1 (amps or "A" or amperes)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 22:06 |
| L34 | 0 | L12 and (("10" or "15" or "20") near1 (amps or "A" or amperes)) with (initial\$2 or start\$3 or begin\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 23:03 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| L35 | 469 | ((("10" or "15" or "20") near1 (amps or "A" or amperes)) with (initial\$2 or start\$3 or begin\$4)) and charg\$3 and battery | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 23:05 |
| L36 | 87 | L35 and ("320"/\$.ccls. or "324"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 23:06 |
| L37 | 55 | L36 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/01/04 23:07 |
| S1 | 95 | (320/158).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/06 14:49 |
| S2 | 4 | ((("6433517") or ("5714866")),PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/06 16:30 |
| S3 | 23 | (320/144).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/06 16:31 |
| S4 | 132 | (320/153).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/06 16:31 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S8 | 924 | ((320/143,150,151,156,161) or (324/430/431)).OCL.S | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/09 10:47 |
| S9 | 18 | ("20020140405" "4659977" "5157320" "5339018" "5430363" "5623197" "5710507" "5872453" "5978719" "6150793" "6202615" "6232748" "6252377" "6363315" "6481406" "6563288" "6630810" "6647939").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 09:20 |
| S10 | 4 | ("5038728" "5347966" "5721688" "5898282").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:23 |
| S11 | 8500 | ((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar \$4 or different\$4) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:30 |
| S12 | 6531 | S11 and (storage or storing or memory or ROM or RAM) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:29 |
| S13 | 4674 | S12 and ((compar\$4 or different\$4) with voltage) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:40 |
| S14 | 1789 | S13 and (micro\$1processor or CPU or (central \$1processing\$1unit)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:33 |
| S15 | 1217 | S13 and cool\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:32 |
| S16 | 1965 | S13 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:41 |
| S17 | 802 | S16 and (micro\$1processor or CPU or (central \$1processing\$1unit)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:41 |
| S18 | 328 | S17 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S19 | 5052 | S12 and ((compar\$4 or different\$4 or difference) with voltage) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:40 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S20 | 2145 | S19 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:41 |
| S21 | 854 | S20 and (micro\$1processor or CPU or (central \$1processing\$1unit)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:41 |
| S22 | 342 | S21 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:42 |
| S23 | 275 | S22 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:46 |
| S24 | 159 | S23 and cool\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/09 10:48 |
| S25 | 1148 | ((320/143,150,151,156,161,158,144,153) or (324/430/431)).CCL.S. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/09 10:48 |
| S26 | 14 | S24 and S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/09 10:48 |
| S27 | 2 | ("5049804").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/01/09 15:56 |
| S28 | 4755 | cool\$3 with (battery or accumulator) with (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/11 16:57 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S29 | 3133 | S28 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/11 16:58 |
| S30 | 1894 | S29 and (charge\$3 or voltage) and (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/11 16:58 |
| S31 | 205 | S30 and ("320"/\$.ccls. or "324"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/11 16:59 |
| S32 | 110 | S31 and @py<="2002" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/11 17:03 |
| S33 | 21 | S32 and charger and (process\$3 or method or micro \$1processor) and (memory or ROM or RAM or storage \$medium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/01/11 17:04 |
| S34 | 1182 | ((320/143,150,151,156,161,158,144,153) or (324/430/431)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/07/09 20:29 |
| S35 | 36 | S34 and @pd>="20060101" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/07/09 20:30 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S36 | 9001 | ((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar\$4 or different\$4) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S37 | 6948 | S36 and (storage or storing or memory or ROM or RAM) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S38 | 5376 | S37 and ((compar\$4 or different\$4 or difference) with voltage) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S39 | 2286 | S38 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S40 | 928 | S39 and (micro\$1processor or CPU or (central \$1processing\$1unit)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S41 | 373 | S40 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S42 | 302 | S41 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:31 |
| S43 | 29 | S42 and @pd>="20060101" | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:36 |
| S44 | 5035 | cool\$3 with (battery or accumulator) with (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/07/09 20:36 |
| S45 | 3347 | S44 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/07/09 20:36 |
| S46 | 2035 | S45 and (charg\$3 or voltage) and (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/07/09 20:36 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S47 | 129 | S46 and @pd> = "20060101" | US-PGPUB; USPAT; USOCR | OR | ON | 2006/07/09 20:36 |
| S48 | 1116 | ((maintain\$3 with temperature) same battery) same charg\$3) and (charg\$3 with (control\$3 or regulat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/10 22:13 |
| S49 | 96 | (320/158).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/10 22:13 |
| S50 | 4 | ((("6433517") or ("5714866")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/10 22:13 |
| S51 | 24 | (320/144).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/10 22:13 |
| S52 | 134 | (320/153).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/10 22:13 |
| S53 | 979 | ((320/143,150,151,156,161) or (324/430/431)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/10 22:13 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S54 | 9414 | ((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar\$4 or different\$4) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/10 22:13 |
| S55 | 7275 | S54 and (storage or storing or memory or ROM or RAM) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/10 22:13 |
| S56 | 5215 | S55 and ((compar\$4 or different\$4) with voltage) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/10 22:13 |
| S57 | 2061 | S56 and (micro\$1processor or CPU or (central \$1processing\$1unit)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/10 22:13 |
| S58 | 5285 | cool\$3 with (battery or accumulator) with (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/10 22:13 |
| S59 | 3539 | S58 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/10 22:13 |
| S60 | 2159 | S59 and (charg\$3 or voltage) and (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/10 22:13 |
| S61 | 240 | S60 and ("320"/\$.cols. or "324"/\$.cols.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/10 22:13 |
| S62 | 247 | S48 and (S49 or S50 or S51 or S52 or S53 or S57 or S61) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/10 22:26 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S63 | 38 | (battery AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3) same ((threshold or limit or certain or specific) with temperature))))).clm. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:32 |
| S64 | 1 | ("4424476").PN. OR ("6707273").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:22 |
| S65 | 5285 | cool\$3 with (battery or accumulator) with (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/11 09:26 |
| S66 | 3539 | S65 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/11 09:26 |
| S67 | 2159 | S66 and (charg\$3 or voltage) and (fan or coolant) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/11 09:26 |
| S68 | 240 | S67 and ("320"/\$.ccls. or "324"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/11 09:26 |
| S69 | 110 | S68 and @py<="2002" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/11 09:26 |
| S70 | 0 | S69 and @pd>="20060705" | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:28 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S71 | 1206 | ((320/143,150,151,156,161,158,144,153) or (324/430/431)).CQLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/11 09:28 |
| S72 | 60 | S71 and @pd>="20060101" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/11 09:28 |
| S73 | 25 | S72 and @pd>="20060705" | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S74 | 9414 | ((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar\$4 or different\$4) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S75 | 7275 | S74 and (storage or storing or memory or ROM or RAM) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S76 | 5635 | S75 and ((compar\$4 or different\$4 or difference) with voltage) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S77 | 2402 | S76 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S78 | 986 | S77 and (micro\$1processor or CPU or (central \$1processing\$1unit)) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S79 | 394 | S78 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb \$1acid or Li\$1ion) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S80 | 321 | S79 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S81 | 48 | S80 and @pd>="20060101" | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:29 |
| S82 | 20 | S81 and @pd>="20060705" | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:31 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S83 | 72 | ((battery AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same ((threshold or limit or certain or specific or value) with temperature))).cm. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:34 |
| S84 | 29 | ((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same ((threshold or limit or certain or specific or value) same temperature))).cm. | US-PGPUB | OR | ON | 2006/12/11 09:36 |
| S85 | 111 | ((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same temperature)).cm. | US-PGPUB | OR | ON | 2006/12/11 09:37 |
| S86 | 404 | ((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) same temperature)).cm. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:37 |
| S87 | 360 | ((battery or cell or storage) AND temperature AND (charg\$3 same temperature) AND ((maintain\$3 or hold\$3 or keep\$3 or steady) with temperature)).cm. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/12/11 09:37 |
| S88 | 2 | ("6016047").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/03/09 10:53 |
| S89 | 33 | ("320"/\$.ccls. or "324"/\$.ccls.) and ((initial or start or begin) with (charg\$3 or appl\$4) with current with (high or large or 5A or 6A or 7A or 8A or 9A or 10A) same (warm or heat)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/23 16:54 |
| S90 | 29 | ("5627451" "5642031" "5909101" "5912546" "5945803" "6008628" "6018231" "6075347" "6124698" "6133713" "6154007" "6154008" "6160389" "6172487" "6175211" "6191560" "6204640" "6204641" "6225786" "6229280" "6275009" "6278261" "RE37226").PN. OR ("6433517").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/23 17:09 |

| | | | | | | |
|-----|----|--|---------------------------|----|----|---------------------|
| S91 | 30 | "3917990" "5363031" "5489836" "5493199" "5497068" "5519303" "5550453" "5563496" "5583871" "5652500" "5659239" "5668461" "5686808" "5717313" "5739973" "5767659" "5825159" "5886527" "5912547" "6011379" "6075347").PN. OR ("6204641").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/23 17:09 |
| S92 | 24 | ("5352968" "5363031" "5691078" "5874825").PN. OR ("6124698").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/23 17:11 |

1/ 4/ 2009 11:22:12 PM

C:\Documents and Settings\apiggush\My Documents\EAST\Workspaces\10752977.wsp